MOTOREX*
Oil of Switzerland
Revision: 12.02.2024

Printing date 12.02.2024

Version number 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: MOTO MATT CARE
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture
 Only for proper handling.
 detergent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· Additional information:

Contains biocidal products: propan-2-ol, 1,2-benzisothiazol-3(2H)-one

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

MOTOREX*
Oil of Switzerland
Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 1)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane, pure Flam. Gas 1A, H220; Press. Gas (Comp.), H280	10-25%
CAS: 1569-01-3 EINECS: 216-372-4 Reg.nr.: 01-2119474443-37	1-propoxypropan-2-ol Flam. Liq. 3, H226; Eye Irrit. 2, H319	2.5-7.5%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1-3%
	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥1-≤3%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	≥0-<0.05%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, perfumes, preservation agents (BENZISOTHIAZOLINONE, sodium benzoate, Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 2)

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

Keep container tightly sealed.

- · Storage class: 2 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Ingredients with limit values that require monitoring at the workplace:			
	butane, pure		
	rt-term value: 1810 mg/m³, 750 ppm		
	g-term value: 1450 mg/m³, 600 ppm		
Car	c (if more than 0.1% of buta-1.3-diene)		
67-63-0 p	ropan-2-ol		
	rt-term value: 1250 mg/m³, 500 ppm		
Lon	g-term value: 999 mg/m³, 400 ppm		
DNELs			
1569-01-3	1-propoxypropan-2-ol		
Oral	DNEL/general population/Systemic effects/Long-term	11 mg/kg/24h (consumer)	
Dermal	DNEL / Workers / Systemic effects / Long-term	82.5 mg/kg/24h (worker)	
	DNEL/general population/Systemic effects/Long-term	36 mg/kg/24h (consumer)	
Inhalative	DNEL / Workers / Systemic effects / Long-term	263 mg/m3 (worker)	
	DNEL/general population/Systemic effects/Long-term	38 mg/m3 (consumer)	
67-63-0 p	ropan-2-ol	•	
Oral	DNEL/general population/Systemic effects/Long-term	26 mg/kg/24h (consumer)	
Dermal	DNEL / Workers / Systemic effects / Long-term	888 mg/kg/24h (worker)	

MOTOREX Oil of Switzerland
Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

	DNEL /something/Contamination	4-//	(Contd. of page 3		
labatati .	DNEL/general population/Systemic effect	•	,		
innaiative	DNEL / Workers / Systemic effects / Lon	_	500 mg/m3 (worker)		
	DNEL/general population/Systemic effect		89 mg/m3 (consumer)		
	2634-33-5 1,2-benzisothiazol-3(2H)-one				
Dermal	DNEL / Workers / Systemic effects / Long-term		0.966 mg/kg/24h (worker)		
	DNEL/general population/Systemic effec	•	0.345 mg/kg/24h (consumer)		
Inhalative	DNEL / Workers / Systemic effects / Long	•	6.81 mg/m3 (worker)		
	DNEL/general population/Systemic effec	ts/Long-term	1.2 mg/m3 (consumer)		
·PNECs					
1569-01-	3 1-propoxypropan-2-ol				
PNI	EC / Aquatic organisms / Freshwater	0.1 mg/l (aqu	uatic organisms)		
PNI	EC / Aquatic organisms / Marine water	0.01 mg/l (ad	quatic organisms)		
	EC/Aquatic org/intermittent pases(freshwater)	1 mg/l (aqua	tic organisms)		
	EC/Aquatic organisms/Sewage treatment nt/STP	4 mg/l (aqua	tic organisms)		
	EC / Aquatic organisms / Sediment shwater)	0.386 mg/kg	(aquatic organisms)		
	EC / Aquatic organisms / Sediment arine water)	0.0386 mg/k	g (aquatic organisms)		
PNE	EC / Terrestrial organism / Soil	0.0185 mg/k	g (terrestrial organisms)		
67-63-0 p	propan-2-ol				
Oral PNI	EC / Predators / Secondary poisoning	160 mg/kg (predators))	food (secondary poisoning		
PNI	EC / Aquatic organisms / Freshwater	140.9 mg/l (a	aquatic organisms)		
PNI	EC / Aquatic organisms / Marine water	140.9 mg/l (a	aquatic organisms)		
	EC/Aquatic org/intermittent ases(freshwater)	140.9 mg/l (a	aquatic organisms)		
	EC/Aquatic organisms/Sewage treatment nt/STP	2,251 mg/l (a	aquatic organisms)		
PN: (fre:	EC / Aquatic organisms / Sediment shwater)	552 mg/kg (8	aquatic organisms)		
	EC / Aquatic organisms / Sediment arine water)	552 mg/kg (8	aquatic organisms)		
PNI	EC / Terrestrial organism / Soil	28 mg/kg (te	rrestrial organisms)		
2634-33-	5 1,2-benzisothiazol-3(2H)-one	1			
PNI	EC / Aquatic organisms / Freshwater	0.004 mg/l (a	aquatic organisms)		
PNI	EC / Aquatic organisms / Marine water	0.000403 mg	g/l (aquatic organisms)		
	EC/Aquatic org/intermittent pases(freshwater)	0.0011 mg/l	(aquatic organisms)		
	EC/Aquatic organisms/Sewage treatment nt/STP	1.03 mg/l (ad	quatic organisms)		
	EC / Aquatic organisms / Sediment shwater)	0.0000499 n	ng/kg (aquatic organisms)		
	EC / Aquatic organisms / Sediment arine water)	0.00000499	mg/kg (aquatic organisms)		
Addition	al information: The lists valid during the r	nakina wara i	road on basis		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 5)

MOTOREX*
Oil of Switzerland

Printing date 12.02.2024 Version number 1.0 Revision: 12.02.2024

Trade name: MOTO MATT CARE

(Contd. of page 4)

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Odour:
Aerosol
Light blue
Apple

Odour threshold:
 Melting point/freezing point:
 Not determined.
 Undetermined.

· Boiling point or initial boiling point and

boiling range Not applicable, as aerosol.

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

· Flash point: Not applicable, as aerosol.

• Decomposition temperature: Not determined. • pH at 20 °C 6.4 (DIN 51369)

· Viscosity:

· Kinematic viscosity Not determined.

Consistency

· **Dynamic:** Not determined.

Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

· Vapour pressure: Not determined.

Density and/or relative density

• **Density at 20 °C:** 0.89 g/cm³ (ASTM D 4052)

· Relative density Not determined.

(Contd. on page 6)

Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 5)

· Vapour density Not determined.

9.2 Other information

· Appearance:

· Form: Aerosol

· Important information on protection of health

and environment, and on safety.

· Explosive properties: Not determined.

· Solvent separation test:

· VOC (EC) 17.62 %

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

· Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevar	t for classification:
106-97-8 butane, pure	
Inhalative LC50 / 15 min	1,442.738-1.443 mg/l (rat)
LC50 / 15 min	800,000 ppm (rat)

(Contd. on page 7)



Printing date 12.02.2024

Version number 1.0

Trade name: MOTO MATT CARE

LC50 / 2h 520,400-539,600 ppm (mouse) LC50 / 4h 658 mg/l (rat) NOAEC 4,000-16,000 ppm (rat) NOAEC 7.2-21.4 mg/l (rat) LOAEC 21.6 mg/l (rat) LOAEC 12,000 ppm (rat) 1569-01-3 1-propoxypropan-2-ol Oral LD50 2,490-4,330 mg/kg (rat) LD50 2.83-4.92 ml/kg (rat) LD50 4.29-4.92 mg/kg (rabbit) LD50 4.29-4.92 mg/kg (rabbit) Inhalative LC0 / 4h 1,725 ppm (rat) NOAEC 300 ppm (rat) LC50 / 15 min 1,442-738-1.443 mg/l (rat) LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 1,237 mg/l (mouse) NOAEC 4,000-16,000 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) LOAEC 12,64 mg/l (rat) LOAEC 12,000 ppm (rat) LOS0 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (ratbit) LOAEC 5,000 ppm (rat) NOAEC 5,000 ppm (rat) NOAEL 69-150 mg/kg/24h (rat)			(Contd. of page 6)
LC50 / 4h 658 mg/l (rat) NOAEC 4,000-16,000 ppm (rat) NOAEC 7.2-21.4 mg/l (rat) LOAEC 21.6 mg/l (rat) LOAEC 12,000 ppm (rat) 1569-01-3 1-propoxypropan-2-ol Oral LD50 2,490-4,330 mg/kg (rat) LD50 2.83-4.92 ml/kg (rat) LD50 4.29-4.92 mg/kg (rabbit) LD50 4.29-4.92 mg/kg (rabbit) Inhalative LC0 / 4h 1,725 ppm (rat) NOAEC 300 ppm (rat) T4-98-6 propane Inhalative LC50 / 15 min 1,442.738-1.443 mg/l (rat) LC50 / 2h 520,400-539,600 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) NOAEC 7.214-21.394 mg/l (rat) LOAEC 21.64 mg/l (rat) LOAEC 21.64 mg/l (rat) LOAEC 12,000 ppm (rat) Dermal LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) Inhalative LC50 / 6h 10,000 ppm (rat) NOAEC 5,000 ppm (rat) LD50 1,000 ppm (rat) NOAEC 5,000 ppm (rat) NOAEC 5,000 ppm (rat) NOAEL 69-150 mg/kg/24h (rat)			1,237 mg/l (mouse)
NOAEC		LC50 / 2h	520,400-539,600 ppm (mouse)
NOAEC		LC50 / 4h	658 mg/l (rat)
LOAEC 21.6 mg/l (rat) 12,000 ppm (rat)		NOAEC	4,000-16,000 ppm (rat)
LOAEC 12,000 ppm (rat)		NOAEC	7.2-21.4 mg/l (rat)
1569-01-3 1-propoxypropan-2-ol Oral LD50 2,490-4,330 mg/kg (rat) LD50 2.83-4.92 ml/kg (rat) LD50 3,775-4,330 ml/kg (rabbit) LD50 4.29-4.92 mg/kg (rabbit) LD50 4.29-4.92 mg/kg (rabbit) Inhalative LC0 / 4h 1,725 ppm (rat) NOAEC 300 ppm (rat) NOAEC 300 ppm (rat) LC50 / 15 min LC50 / 15 min LC50 / 15 min LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 520,400-539,600 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) NOAEC 4,000-16,000 ppm (rat) LOAEC 21.64 mg/l (rat) LOAEC 12,000 ppm (rat) LOAEC 12,000 ppm (rat) ED50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) LD50 12,800 mg/kg (rabbit) LD50 12,800 mg/kg (rabbit) NOAEC 5,000 ppm (rat) NOAEL 69-150 mg/kg/24h (rat)		LOAEC	21.6 mg/l (rat)
Oral LD50 2,490-4,330 mg/kg (rat) LD50 2.83-4.92 ml/kg (rat) Dermal LD50 3,775-4,330 ml/kg (rabbit) LD50 4.29-4.92 mg/kg (rabbit) Inhalative LC0 / 4h 1,725 ppm (rat) NOAEC 300 ppm (rat) 74-98-6 propane Inhalative LC50 / 15 min 1,442.738-1.443 mg/l (rat) LC50 / 15 min 1,237 mg/l (mouse) LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 520,400-539,600 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) NOAEC 12,000 ppm (rat) 67-63-0 propan-2-ol Oral LD50 5,840 mg/kg (rat) LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) Inhalative LC50 / 6h 10,000 ppm (rat) NOEC 5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		LOAEC	12,000 ppm (rat)
LD50	1569-01-3	1-propoxypro	pan-2-ol
Dermal LD50 3,775-4,330 ml/kg (rabbit) LD50 4.29-4.92 mg/kg (rabbit) 1,725 ppm (rat) 300 ppm (rat) 300 ppm (rat) 1,442.738-1.443 mg/l (rat) LC50 / 15 min LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 520,400-539,600 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) LOAEC 21.64 mg/l (rat) LOAEC 12,000 ppm (rat) LOAEC 12,000 ppm (rat) LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) LD50 12,800 mg/kg (rabbit) LD50 5,000 ppm (rat) NOAEC 69-150 mg/kg/24h (rat) NOAEC 69-150 mg/kg/24h (rat) NOAEC 69-150 mg/kg/24h (rat) NOAEC 69-150 mg/kg/24h (rat) NOAEC 10,000 pm (rat) NOA	Oral	LD50	2,490-4,330 mg/kg (rat)
LD50		LD50	2.83-4.92 ml/kg (rat)
Inhalative	Dermal	LD50	3,775-4,330 ml/kg (rabbit)
NOAEC 300 ppm (rat) 74-98-6 propane Inhalative LC50 / 15 min LC50 / 2h 1,237 mg/l (mouse) LC50 / 2h 520,400-539,600 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) LOAEC 12,000 ppm (rat) LOAEC 12,000 ppm (rat) LOAEC 12,000 ppm (rat) LOAEC 12,000 ppm (rat) LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rat) LD50 MOAEC 5,000 ppm (rat) LC50 / 6h NOAEC 5,000 ppm (rat) NOAEC 5,000 ppm (rat) LC50 / 5,000 ppm (rat) LC5		LD50	4.29-4.92 mg/kg (rabbit)
74-98-6 propane Inhalative LC50 / 15 min 1,442.738-1.443 mg/l (rat)	Inhalative	LC0 / 4h	1,725 ppm (rat)
Inhalative		NOAEC	300 ppm (rat)
LC50 / 15 min 800,000 ppm (rat) 1,237 mg/l (mouse) 1,237 mg/l (mouse) 1,237 mg/l (mouse) 1,237 mg/l (mouse) 1,000-16,000 ppm (mouse) 1,000-16,000 ppm (rat) 1,2394 mg/l (rat) 1,204 mg/l (rat) 1,204 mg/l (rat) 1,204 mg/l (rat) 1,2000 ppm (rat) 1,2000 ppm (rat) 1,2000 ppm (rat) 1,2000 mg/kg (rat) 1,2000 mg/kg (rabbit) 1,2000 mg/kg (rabbit) 1,2000 mg/kg (rabbit) 1,2000 ppm (rat) 1,2000 ppm	74-98-6 p	ropane	
LC50 / 2h	Inhalative	LC50 / 15 min	1,442.738-1.443 mg/l (rat)
LC50 / 2h 520,400-539,600 ppm (mouse) NOAEC 4,000-16,000 ppm (rat) NOAEC 7.214-21.394 mg/l (rat) LOAEC 21.64 mg/l (rat) LOAEC 12,000 ppm (rat) Oral LD50 5,840 mg/kg (rat) Dermal LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabit) Inhalative LC50 / 6h 10,000 ppm (rat) NOAEC 5,000 ppm (rat) NOEC 500-5,000 ppm (rat) Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		LC50 / 15 min	800,000 ppm (rat)
NOAEC		LC50 / 2h	1,237 mg/l (mouse)
NOAEC 7.214-21.394 mg/l (rat)		LC50 / 2h	520,400-539,600 ppm (mouse)
LOAEC 21.64 mg/l (rat) LOAEC 12,000 ppm (rat) 67-63-0 propan-2-ol Oral LD50 5,840 mg/kg (rat) Dermal LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) Inhalative LC50 / 6h 10,000 ppm (rat) NOAEC 5,000 ppm (rat) NOEC 500-5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		NOAEC	4,000-16,000 ppm (rat)
LOAEC 12,000 ppm (rat)		NOAEC	7.214-21.394 mg/l (rat)
67-63-0 propan-2-ol Oral LD50 5,840 mg/kg (rat) Dermal LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) Inhalative LC50 / 6h 10,000 ppm (rat) NOAEC 5,000 ppm (rat) NOEC 500-5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		LOAEC	21.64 mg/l (rat)
Oral LD50 5,840 mg/kg (rat) Dermal LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) Inhalative LC50 / 6h 10,000 ppm (rat) NOAEC 5,000 ppm (rat) NOEC 500-5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		LOAEC	12,000 ppm (rat)
Dermal LD50 16.4 ml/kg (rabbit) LD50 12,800 mg/kg (rabbit) Inhalative LC50 / 6h 10,000 ppm (rat) NOAEC 5,000 ppm (rat) NOEC 500-5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)	67-63-0 p	ropan-2-ol	
LD50	Oral	LD50	5,840 mg/kg (rat)
Inhalative	Dermal	LD50	16.4 ml/kg (rabbit)
NOAEC 5,000 ppm (rat) NOEC 500-5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		LD50	12,800 mg/kg (rabbit)
NOEC 500-5,000 ppm (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)	Inhalative	LC50 / 6h	10,000 ppm (rat)
2634-33-5 1,2-benzisothiazol-3(2H)-one Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		NOAEC	5,000 ppm (rat)
Oral LD50 490-670 mg/kg (rat) NOAEL 69-150 mg/kg/24h (rat)		NOEC	500-5,000 ppm (rat)
NOAEL 69-150 mg/kg/24h (rat)	2634-33-5	1,2-benzisoth	iazol-3(2H)-one
3 3 (,	Oral	LD50	490-670 mg/kg (rat)
Dermal LD50 2.000 mg/kg (rat)		NOAEL	69-150 mg/kg/24h (rat)
	Dermal	LD50	2,000 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties	
1222-05-5 1.3.4.6.7.8-hexahydro-4.6.6.7.8.8-hexamethylindenol5.6-clovran	List II

MOTOREX*
Oil of Switzerland

Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

SECTION 12: Ecological information

Trade name: MOTO MATT CARE

(Contd. of page 7)

· Aquatic toxicity:				
106-97	'-8 butane, pure			
LC50	24.1-147.5 mg/l/96h (fish)			
LC50	14.2-69.4 mg/l/48h (aquatic invertebrates)			
EC50	7.7-19.4 mg/l/96h (algae / cyanobacteria)			
1569-0	1-3 1-propoxypropan-2-ol			
LC50	100 mg/l/96h (fish)			
LC50	100 mg/l/48h (aquatic invertebrates)			
	100 mg/l/48h (fish)			
LC50	100 mg/l/24h (aquatic invertebrates)			
EC50	1,466 mg/l/96h (algae / cyanobacteria)			
EC50	3,440 mg/l/72h (algae / cyanobacteria)			
EC50	5,583 mg/l/48h (algae / cyanobacteria)			
74-98-6 propane				
LC50	24.11-147.54 mg/l/96h (fish)			
LC50	14.22-69.43 mg/l/48h (aquatic invertebrates)			
EC50	7.71-19.37 mg/l/96h (algae / cyanobacteria)			
67-63-	0 propan-2-ol			
LC50	9.64-10 mg/l/96h (fish)			
LC50	10,000 mg/l/24h (aquatic invertebrates)			
EC50	10,000 mg/l/24h (aquatic invertebrates)			
	3-5 1,2-benzisothiazol-3(2H)-one			
	2.15-22 mg/l/96h (fish)			
LC50	0.41 g/kg/14d (terrestr. macroorganisms (- arthropods))			
	0.2-0.812 g/kg/14d (terrestrial plants)			
EC10	10.3 mg/l (microorganisms)			
EC10	30 mg/kg (terrestrial plants)			

NOEC | 0.04-0.055 mg/l/72h (algae / cyanobacteria) NOEC | 10.3-11 mg/l/3h (microorganisms)

0.234-0.411 g/kg/14d (terrestr. macroorganisms (- arthropods))

12.2 Persistence and degradability No further relevant information available.

234.5 mg/kg (terrestr. macroorganisms (- arthropods))

263.7 mg/kg (soil microorganisms)

EC50 | 0.07-0.15 mg/l/72h (algae / cyanobacteria) EC50 | 2.9-2.94 mg/l/48h (aquatic invertebrates) NOEC | 0.03-0.812 g/kg/14d (terrestrial plants)

EC50 | 0.8115 g/kg/28d (soil microorganisms) EC50 | 12.8-24 mg/l/3h (microorganisms)

NOEC | 0.2637 g/kg/28d (soil microorganisms)

· 12.3 Bioaccumulative po	tential	
106-97-8 butane, pure		
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)	
		C

(Contd. on page 9)

Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

		(Contd. of page 8)
1569-01-3 1-propoxypropan-	2-ol	
Partition coefficient	0.621 [] (log Kow) (Bioaccumulation)	
Biodegradability	91.5 % (28d) (Biodegradability) (OECD 301 A)	
74-98-6 propane		
Partition coefficient	1.09-2.8 [] (log Kow) (Bioaccumulation)	
67-63-0 propan-2-ol		
Partition coefficient	0.05 [] (log Kow) (Bioaccumulation)	
Biodegradability	>70 % (28d) (Biodegradability) (EU Method C.5)	
2634-33-5 1,2-benzisothiazol	-3(2H)-one	
Partition coefficient	0.7 [] (log Kow) (Bioaccumulation)	
Bioconcentration factor (BCF)	6.62 BCF (fish)	

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	ation	
· 14.1 UN number or ID number		
· ADR/RID/ADN, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name		
ADR/RID/ADN	1950 AEROSOLS	
· IMDG	AEROSOLS	
·IATA	AEROSOLS, non-flammable	
		(Contd. on page



Printing date 12.02.2024 Version number 1.0 Revision: 12.02.2024

Trade name: MOTO MATT CARE

(Contd. of page 9) · 14.3 Transport hazard class(es) · ADR/RID/ADN 2 5A Gases. · Class · Label 2.1 · IMDG, IATA · Class 2.1 Gases. · Label 2.1 · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA Not classified as hazardous for transport · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Gases. Hazard identification number (Kemler code): · EMS Number: F-D.S-U · Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity · Segregation Code of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR/RID/ADN · Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity

(Contd. on page 11)

Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 10)

UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

1310-73-2 sodium hydroxide

12% of total caustic alkalinity

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Abteilung Produktsicherheit

· Abbreviations and acronvms:

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 12)

MOTOREX*
Oil of Switzerland

Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 11)

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of cleaning agents
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

PROC15 Use as laboratory reagent

Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

· Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario Professional use of cleaning agents

(Contd. on page 13)

MOTOREX*
Oil of Switzerland
Revision: 12.02.2024

Printing date 12.02.2024 Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 12)

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC10 Roller application or brushing
- PROC11 Non industrial spraying
- PROC13 Treatment of articles by dipping and pouring
- PROC15 Use as laboratory reagent
- Environmental release category
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of cleaning agents
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- Product category PC35 Washing and cleaning products (including solvent based products)
- Process category
- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

(Contd. on page 14)

MOTOREX*
Oil of Switzerland

Revision: 12.02.2024

Printing date 12.02.2024

Version number 1.0

Trade name: MOTO MATT CARE

(Contd. of page 13)

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB